

Version: 4

Version date: 20/02/2023

Language: EN

According to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No. 2020/878)

SAFETY DATA SHEET

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation : Organic Orange essential oil

INCI : Citrus Aurantium Dulcis Peel Oil Expressed

Article No (user) : MP10062
CAS No : 8028-48-6
EC No : 232-433-8
FEMA No : 2825
CoE No: : 143n

UFI Number : XACO-40NW-C00F-GD4E

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Perfumes, scented products (PC28).

Uses advised against : No data available.

1.3 Details of the supplier of the safety data sheet

Supplier : **Name**: Laboratoire ALTHO

Street: Lieu-dit Encapin

Postal code/City: 32120 Monfort

Country: France:

Telephone: +33(0)5 62 05 54 35
Telefax: +33(0)5 62 05 04 67
Website: Www.laboratoirealtho.fr
E-mail: Contact@laboratoirealtho.fr

1.4 Emergency Telephone Number

European Union:

In England and Wales: dial 111 (NHS 111), In Scotland: dial 111 (NHS 24), In Northern Ireland: Contact your local GP or pharmacist during normal hours. During GP Out-of-Hours (www.gpoutofhours.hscni.net/): Belfast HSC Trust, (North & West) 028 9074 4447, (South & East) 028 9079 6220 South Eastern HSC Trust, (North Down & Ards) 028 9182 2344, (Lisburn & Downpatrick) 028 9260 2204, Dalriada Urgent Care (Northern Trust area) 028 2566 3500, Southern HSC Trust 028 3839 9201, Western Urgent Care 028 7186 5195

2 Hazards identification

2.1 Classification of the substance or mixture

Classification according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Hazards identification:

H226 Flam. Lig. 3 Flammable liquid and vapour.



H304 Asp. Tox. 1 May be fatal if swallowed and enters airways.

H315 Skin Irrit. 2 Causes skin irritation.

H317 Skin Sens. 1B May cause an allergic skin reaction.

H400 Aquatic Acute 1 Very toxic to aquatic life.

H411 Aquatic Chronic 2 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Label elements according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Labelling

Hazard pictograms



Signal word

Hazard Statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements - Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed. P242 Use non-sparking tools.

P264 Wash your hands after handling

P280 Wear eye protection

Precautionary Statements - Response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P331 Do NOT induce vomiting.

P332+P313 If skin irritation occurs: Get medical advice/attention.

Precautionary Statements - Storage

P403+P235 Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

P501 Dispose of contents/container according to national regulations.

Contains

(R)-p-mentha-1,8-diene, 7-methyl-3-methyleneocta-1,6-diene, Orange, sweet, ext.

2.3 Other hazards

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

3 Composition/information on ingredients

3.2 Mixtures

In accordance with the product knowledge, no nanomaterials have been identified.

The mixture does not contain any substances classified as Substances of Very High Concern (SVHC) by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table.



	Substance	Concentration (%)	Specific concentration limits		Classification
Orange, sw	veet, ext.	•		•	
CAS N° EC N° IDX N°	8028-48-6 232-433-8	C≤ 100.0%		H226 H304 H315 H317	Flam. Liq. 3 Asp. Tox. 1 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2
(P)-n-mont	:ha-1,8-diene			H411	Aquatic Cironic 2
CAS N° EC N° IDX N°	5989-27-5 227-813-5 601-096-00-2	90.0% ≤C≤ 96.0%	M=1	H226 H304 H315 H317 H400	Aquatic Acute 1
7-methyl-3	3-methyleneocta-1,6-d	liene		H412	Aquatic Chronic 3
CAS N° EC N° IDX N°	123-35-3 204-622-5	C≤ 2.0%	M=1 M(Chronic)=1	H226 H304 H315 H317 H319 H400 H410	Flam. Liq. 3 Asp. Tox. 1 Skin Irrit. 2 Skin Sens. 1B Eye Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1
pin-2(3)-en	ne		I	111111111111111111111111111111111111111	
CAS N° EC N° IDX N°	80-56-8 201-291-9	C≤ 0.57%	M=1 M(Chronic)=1	H226 H302 H304 H315 H317 H400 H410	Flam. Liq. 3 Acute Tox. 4 ORAL Asp. Tox. 1 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1
linalool			-		
CAS N° EC N° IDX N°	78-70-6 201-134-4 603-235-00-2	C≤ 0.38%		H317	Skin Sens. 1B
octanal			I	1	
CAS N° EC N° IDX N°	124-13-0 204-683-8	C≤ 0.26%		H226 H315 H319 H411	Flam. Liq. 3 Skin Irrit. 2 Eye Irrit. 2 Aquatic Chronic 2
thuj-4(10)-	ene				
CAS N° EC N° IDX N°	3387-41-5 222-212-4	C≤ 0.23%		H302	Acute Tox. 4 ORAL
decanal					
CAS N° EC N° IDX N°	112-31-2 203-957-4	C≤ 0.22%		H319 H412	Eye Irrit. 2 Aquatic Chronic 3

Remark

Text phrases and H- EUH-: see section 16.

4

First aid measures



4.1 Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Do not leave affected person unattended.

Remove victim out of the danger area.

Keep affected person warm, still and covered.

Remove the affected person from the danger zone and lay down.

Following inhalation:

Remove person to fresh air and keep comfortable for breathing.

No resuscitation mouth-to-mouth or mouth-to-nose. Ambu use a mask or respirator.

If breathing is irregular or stopped, administer artificial respiration.

Following skin contact:

Remove contaminated, saturated clothing immediately.

After contact with skin, wash immediately with plenty of water and soap.

Take off immediately all contaminated clothing.

In case of skin irritation, consult a physician.

In case of skin reactions, consult a physician.

Following eye contact:

In case of eye irritation consult an ophthalmologist.

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect unharmed eye.

Following ingestion:

Never give anything by mouth to an unconscious person or a person with cramps.

Do NOT induce vomiting.

Self-protection of the first aider:

First aider: Pay attention to self-protection!.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

Treat symptomatically.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Foam.

Extinguishing powder.

Carbon dioxide (CO2).

Sand.

Unsuitable extinguishing media:

Strong water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not inhale vapors and fumes.

Co-ordinate fire-fighting measures to the fire surroundings.



Move undamaged containers from immediate hazard area if it can be done safely.

Use caution when applying carbon dioxide in confined spaces. carbon dioxide can displace oxygen.

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

Remove persons to safety.

Provide adequate ventilation.

Use appropriate respiratory protection.

6.2 Environmental precautions

Ensure that waste is collected and contained.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Avoid release to the environment.

Cover drains.

Ensure all waste water is collected and treated via a waste water treatment plant.

Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

Contain leaks or spills within cabinets with removable trays.

6.3 Methods and material for containment and cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed and suitable containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

Ventilate affected area.

Collect spillage.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Wipe up with absorbent material (eg. cloth, fleece).

6.4 Reference to other sections

Safe handling: see section 7.

Disposal: see section 13.

Personal protection equipment: see section 8.

Additional information

Not available

Handling and Storage

7.1 Precautions for safe handling

PROTECTIVE MEASURES:

Avoid contact with skin, eyes and clothes.

Remove fume condensates periodically from extraction hoods, leads and other surfaces (wear personal protective clothing!) as there is a risk of catching fire.

Use only in well-ventilated areas.

If local exhaust ventilation is not possible or not enough, the entire work area must be ventilated by technical means.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Provide earthing of containers, equipment, pumps and ventilation facilities.

Take precautionary measures against static discharges.

Provide adequate ventilation as well as local exhaustion at critical locations.

Sewers and ducts must be protected against the entry of the product.

Wear personal protective clothing (see section 8).



Do not put any product-impregnated cleaning rags into your trouser pockets.

Provide for retaining containers, eg. floor pan without outflow.

Vapours/aerosols should be exhausted directly at the point of origin.

Avoid breathing gas/fumes/vapour/spray.

Advices on general occupational hygiene:

Wash hands before breaks and after work.

Remove contaminated, saturated clothing immediately.

Work in well ventilated zones or use proper respiratory protection.

Wash contaminated clothing before reuse.

Street clothing should be stored seperately from work clothing.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry, cool, and well-ventilated place.

Keep container in upright position in order to prevent leakage.

Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area.

Ground/bond container and receiving equipment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Store locked up.

Use isolated drainage to prevent discharge to soil.

Advice on joint storage:

Keep away from food, drink and animal feedingstuffs.

Keep away from clothing and other combustible materials.

Keep only in the original container in a cool, well-ventilated place, away from highly flammable substances.

Further information on storage conditions:

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8 Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits:

Not available

Biological limit values:

Not available

Exposure limits at intended use:

Not available

DNEL-/PNEC-values:

• Orange, sweet, ext.:

DNEL worker:

	short	-term	long-term		
Туре	systemic	Local	systemic	Local	
Oral					
Dermal		185.8 μg/kg bw/day	8.86 mg/kg bw/day		
Inhalation					



DNEL consumer:

_	short-term		long-term		
Туре	systemic	Local	systemic	Local	
Oral			4.44 mg/kg bw/day		
Dermal		92.9 μg/kg bw/day	4.44 mg/kg bw/day		
Inhalation					

PNEC:

PNEC aquatic, freshwater	5.4 μg/l
PNEC aquatic, marine water	0.54 μg/l
PNEC aquatic, intermittent release	5.77 μg/l
PNEC sediment, freshwater	1.3 mg/kg dw
PNEC sediment, marine water	0.13 mg/kg dw
PNEC soil	0.261 mg/kg dw
PNEC sewage treatment plant (STP)	2.1 mg/l
PNEC air	
PNEC secondary poisoning	

Remark:

Not available

8.2 Exposure controls

Appropriate engineering controls:

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment:



Eye/face protection : Suitable eye protection:

No data available.

Skin protection : Hand protection:
Suitable gloves type:

Wear protective gloves.

Suitable material: Butyl caoutchouc (butyl rubber).

NBR (nitrile rubber).

Additional hand protection measures:

Do not wear gloves near machines and rotating tools.

Use gloves only once.

Remark:

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Breakthrough times and swelling properties of the material must be taken into consideration.

Body protection:

Suitable protective clothing:

Lab coat.

Respiratory protection : Respiratory protection necessary at:

If technical exhaust or ventilation measures are not possible or insufficient,

respiratory protection must be worn.



Suitable respiratory protection apparatus:

Wear respiratory protection.

Remark:

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Observe the wear time limits as specified by the manufacturer. Use only respiratory protection equipment with CE-symbol including four digit test number.

Environmental exposure controls:

Not available

Consumer exposure controls:

Not available

Additional information

Not available

9 Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state : Liquid

Colour: Pale yellow to orangeOdour: Sweet, leaked, zesty...

pH : Not available
Melting point/freezing point : Not available
Initial boiling point and boiling range : Not available
Flash point : +43°c°C
Flammability : Not available
Upper/lower flammability or explosive : Not available

limits

Vapour pressure: Not availableVapour density: Not availableRelative density: 0.835 - 0.860 (20 ° C)

Solubility(ies) : Soluble
Partition coefficient n-octanol/water : Not available

(log value)

Auto-ignition temperature : Not available

Decomposition temperature : Not available

Kinematic viscosity : <7mm1/s (2°C)

Solubility in other Solvents : Not available

Particle characteristics : Not available

9.2 Other safety information

Information concerning to the classes of physical hazards

Not available

Other security characteristics

Not available

10 Stability and Reactivity

10.1 Reactivity



This product is stable to shock, vibration and pressure under normal conditions of use. Avoid prolonged contact with air, light, heat which could induce degradation and oxidation of the product.

10.2 Chemical stability

The product is stable when stored at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition.

10.5 Incompatible materials

P.V.C.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

Additional information

Not available

11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The product is not classified.

Data for mixture:

Not available

Substances:

• Orange, sweet, ext. (CAS: 8028-48-6):
Species : Rat
Sex : Male

Guideline : OECD Guideline 401 (Acute Oral Toxicity)

Subendpoint	Operator	Value	Unit
LD50:	>	5000	mg/kg bw

Conclusion : The substance is considered to be practically non toxic by oral route.

Acute dermal toxicity:

The product is not classified.

Data for mixture:

Not available

Substances:

• Orange, sweet, ext. (CAS: 8028-48-6):

Species : Rabbit Sex : Female

Guideline : OECD Guideline 402 (Acute Dermal Toxicity)

Exposure duration/value : 24
Exposure duration/unit : h

Subendpoint	Operator	Value	Unit
LD50:	>	5000	mg/kg bw

Conclusion : The substance is considered to be practically non toxic by the dermal route.

Acute inhalation toxicity:

The product is not classified.

Data for mixture:



Substances:

Not available

Skin corrosion/irritation:

The product is not classified.

Data for mixture:

Not available

Substances:

Not available

Serious eye damage/irritation:

The product is not classified.

Data for mixture:

Not available

Substances:

Not available

Skin sensitisation:

The product is classified Skin Sens. 1B according to the referenced regulation.

May cause an allergic skin reaction.

Data for mixture:

Not available

Substances:

Not available

Specific target organ toxicity (repeated exposure):

The product is not classified.

Data for mixture:

Not available

Substances:

Not available

Specific target organ toxicity (single exposure):

The product is not classified.

Data for mixture:

Not available

Substances:

Not available

Carcinogenicity:

The product is not classified.

Data for mixture:

Not available

Substances:

Not available

Reproductive toxicity:

The product is not classified.

Data for mixture:

Not available

Substances:

Not available

Germ cell mutagenicity:

The product is not classified.

Data for mixture:

Not available

Substances:

Not available

Sensitisation to the respiratory tract:

The product is not classified.

Data for mixture:



Substances:

Not available

Additional information:

Not available

11.2 Information on other hazards

Endocrine disrupting properties:

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

12 Ecological information

12.1 Toxicity

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Data for mixture:

Not available

Substances:

Acute aquatic toxicity:

• Orange, sweet, ext. (CAS: 8028-48-6):

Animals/category : Fish

Species : Brachydanio rerio (Zebra-fish)

Test duration : 96 Unit : h

Guideline : OECD 203

Subendpoint	Value	Unit
EL50	5,65	mg/L

Remarks : Not available
Animals/category : Crustacean

Species : Daphnia magna (Daphnia)

Test duration : 48 Unit : h

Guideline : OECD 202

Subendpoint	Value	Unit
EL50	1,1	mg/L

Remarks : Not available

Animals/category : algea or cyanobacteria Species : Desmodesmus subspicatus.

Test duration : 72
Unit : h
Guideline : OECD 201

Subendpoint	Value	Unit
ELr50	150	mg/L
NOECr	50	mg/L

Remarks : Not available

12.2 Persistence and degradability

The product has not been tested.

Data for mixture:

Not available

Substances:



12.3 Bioaccumulative potential

The product has not been tested.

Data for mixture:

Not available

Substances:

Not available

12.4 Mobility in soil

The product has not been tested.

Data for mixture:

Not available

Substances:

Not available

12.5 Results of PBT and vPvB assessment

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

12.6 Endocrine disrupting properties

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

12.7 Other adverse effects

Not available

Additional ecotoxicological information

See product label for additional instructions regarding environmental precautions when using the product.

13 Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal:

Waste codes/waste designations according to EWC/AVV:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste treatment options:

Appropriate disposal/Product:

Waste requiring special supervision.

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

Appropriate disposal/Package:

Non-contaminated packages must be recycled or disposed of.

Contaminated packing must be completely emptied and can be reused after proper cleaning.

Packing which cannot be properly cleaned must be disposed of.

Handle contaminated packages in the same way as the substance itself.

Dispose of waste according to applicable legislation.

Remark:

For recycling, contact manufacturer.

Collect the waste separately.

Consult the appropriate authorities about waste disposal.

Do not mix with other wastes.

The waste is to be kept separate from other types of waste until its disposal.

Concerning the waste it has to be checked, whether a transport authorisation is required.

Additional information



14 Transport information

		Land transport (ADR/RID):	Inland waterway transport (ADN):	Sea transport (IMDG):	Air transport (ICAO-TI/IATA- DGR):
14.1	UN number:	1197	1197	1197	1197
14.2	UN proper shipping name:	EXTRACTS, FLAVOURING, LIQUID	EXTRACTS, FLAVOURING, LIQUID	EXTRACTS, FLAVOURING, LIQUID	EXTRACTS, FLAVOURING, LIQUID
14.3	Transport hazard class(es):				
	Class or Division:	3	3	3	3
	Hazard label(s):				
14.4	Packing group:	III	III	III	III

14.5 Environmental hazards

Not available

14.6 Special precautions for user

Rules to be observed for loading packages for road transport:- Refer to Table 7.5.2 of ADR on mixed loading prohibitions.- When loading packages, smoking is prohibited in the vicinity of vehicles.- Check that the packages are properly secured in the vehicle.- Check that the driver has the required safety instructions and equipment if the thresholds established by ADR are exceeded.

14.7 Bulk shipping according to IMO instruments

Not available

Additional information

Land transport (ADR/RID):

Excepted Quantities (EQ): 5L. Limited Quantity (LQ): E1. Transport category: 3. Tunnel restriction code: D/E. Customs tariff code: 3301 29 41 00.

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This SDS has been established in accordance with REACH regulation, including its amendments: REACH Regulation (EC) No 1907/2006.

This SDS has been established in accordance with CLP regulation, including its amendments: CLP Regulation EC No. 1272/2008.

EU legislation:

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]:



"Flammable liquids of category 2 or category 3 excluding heading 4330. The total quantity likely to be present in the installations, including underground cavities, being:

- 1. greater than or equal to 1,000 tA
- 2. Greater than or equal to 100 t but less than 1,000 t

Low threshold quantity within the meaning of article R. 511-10: 5,000 t High threshold quantity within the meaning of article R. 511-10: 50,000 t".

"Hazardous to the aquatic environment, category acute 1 or chronic 1. The total quantity likely to be present in the facility being:

- 2. Greater than or equal to 20 t but less than 100 t......DC

 $Low\ threshold\ quantity\ as\ defined\ in\ article\ R.\ 511-10:\ 100\ t\ High\ threshold\ quantity\ as\ defined\ in\ article\ R.\ 511-10:\ 200\ t''.$

"Hazardous to the aquatic environment, chronic category 2. The total quantity likely to be present in the installation being:

- 1. greater than or equal to 200 t......A

Low threshold quantity as defined in article R. 511-10: 200 t High threshold quantity as defined in article R. 511-10: 500 t".

EU legislation:

CLP: Harmonised classification and labelling of hazardous substances (Annex VI, table 3.1)_ATP 17:

Substance	CAS	EC
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5

Directive n°648/2004 (Allergenic fragrance ingredients N°1223/2009):

Substance	CAS	EC
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5
linalool	78-70-6	201-134-4

REACH: Annex XVII (Restrictions):

Substance	CAS	EC
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5

National regulations:

California proposition 65:

Substance	CAS	EC
7-methyl-3-methyleneocta-1,6-diene	123-35-3	204-622-5
II.C. ANY DTV		

U.S. - NY - RTK:

Substance	CAS	EC
pin-2(3)-ene	80-56-8	201-291-9

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Additional information

Not available

16 Other information

Indication of changes

Updated according to ATP18 of CLP. Substitution of UN 1169 by UN1197. Addition of the UFI number.

Abbreviations and acronyms



CAS: Chemical Abstract Service Number. IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods Code.

DPD Dangerous Preparation Directive. UN number: United Nations number. No EC: European Commission Number.

ADN/ADNR: Regulations concerning the transport of dangerous substances in barges on the waterways.

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road/Regulations

concerning the international carriage of dangerous goods by rail.

CLP: Classification, labeling and packaging.

VPvB: very persistent and very bioaccumulative substances.

Key literature references and sources for data

No data available.

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Complies with ATP 18, Regulation (EU) n°2022/692.

Classification of the mixture is in accordance with the evaluation method described in Regulation (EC) No 1272/2008.

Relevant R-, H- and EUH-phrases (Number and full text)

H226	Flam. Liq. 3	Flammable liquid and vapour.
H302	Acute Tox. 4 ORAL	Harmful if swallowed
H304	Asp. Tox. 1	May be fatal if swallowed and enters airways.
H315	Skin Irrit. 2	Causes skin irritation.
H317	Skin Sens. 1B	May cause an allergic skin reaction.
H319	Eye Irrit. 2	Causes serious eye irritation
H400	Aquatic Acute 1	Very toxic to aquatic life.
H410	Aquatic Chronic 1	Very toxic to aquatic life with long lasting effects.
H411	Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.
H412	Aquatic Chronic 3	Harmful to aquatic life with long lasting effects

Training advice

Refer to Sections 4, 5, 6, 7 and 8 of this safety data sheet.

Additional information

Creation date: 20/02/2023 Version date: 20/02/2023 Printing date: 20/02/2023

The information given in this Safety Data Sheet is based on our present knowledge and on European and national regulations. This Safety Data Sheet describes safety requirements relative to identified uses, it doesn't guarantee all the product properties particularly in the case of non identified uses. The product mustn't be used for any uses other than those identified under heading 1. Since the user's working conditions are not known by us, it is the responsability of the user to take all necessary measures to comply with legal requirements for specific uses and avoid negative health effects.